



# DTEN D7X AI 55

## PRODUCT GUIDE

Thanks for choosing DTEN



# DTEN D7X AI 55 Product Guide

## Packing List

---

1. DTEN D7X AI 55 x 1

2. Wall Mount Brackets x 1

\* The bracket pieces are stored at the bottom of the box (beneath the foam).

3. Stylus x 1

4. Power cord x 5 (Type B,D,F,G,I)

5. USB-C to USB-C Cable x 1


6. Antenna x 2

⚠ Do not disassemble the D7X without the supervision of a DTEN technician. Improper use may be subject to voiding the warranty.

# DTEN D7X AI 55 Product Guide

## What's Inside

---



Model: DB7U1R455

# DTEN D7X AI 55 Product Guide

## Quick Setup


---

### Before Installation

Please do not turn on the power until your AV Bar has been installed.

### Step 1


To install the AV bar, align the pins with the holes, then mount straight down.



⚠ Do not tilt the bar when mounting or unmounting.

### Step 2


Install the antennas.



# DTEN D7X AI 55 Product Guide

## BYOD Function with DTEN Smart Connect

Access the DTEN D7X AI camera system, microphone array, speakers and touchscreen as peripherals from an attached computer.




# DTEN D7X AI 55 Product Guide

## Setup and Enrollment with DTEN Orbit

---

1. The DTEN D7X AI may need to update to the latest version for the first-time startup. Please ensure the internet connection is stable during startup and update process. An ethernet connection is recommended.
2. Activate and register the DTEN D7X AI on DTEN Orbit for device and user management services.
3. Ensure the local area network allows the DTEN D7X AI to be connected. Check with your network security team for instructions. Scan the QR code below for DTEN Network Whitelist Requirements.
4. The D7X AI requires an active software license to connect to Zoom Rooms, Microsoft Teams or other VC providers' software. For more information, visit the service provider's website.



DTEN Network  
Whitelist Requirements



Zoom Rooms Overview

# DTEN D7X AI 55 Product Guide

## Setup and Enrollment with DTEN Orbit


---

### Tips

1. An ethernet connection is preferred for the best meeting experience.
2. Please do not disconnect the power without first properly shutting down the D7X AI .
3. Do not attempt to disassemble the DTEN D7X AI without the instruction of a certified DTEN service provider.  
Unauthorized disassembly or service may void your warranty.
4. The D7X AI is compatible with many meeting room controllers, document cameras, audiovisual systems and other 3rd party peripherals. Consult the respective manufacturer instructions for setup and pairing information.


# DTEN D7X AI 55 Product Guide

## Product Diagram




# DTEN D7X AI 55 Product Guide

## Mounting Instructions



Mounting Hole Pattern: 400 x 300mm



⚠ Note: Contact a professional for assistance when wall mounting your display.  
We are not responsible for any damage to the product or injury to yourself.  
Do not power on the display when performing wall mount installation. It may cause personal injury due to electric shock.

## Specifications

| Product          | D7X AI 55"      |
|------------------|-----------------|
| VESA             | 300 mm x 400 mm |
| Standard Screw   | Ø 6 mm x 12 mm  |
| Number of Screws | 4 pcs           |

# DTEN D7X AI 55 Product Guide

## Automatic Speaker Drop-Down

The speaker automatically drops down when a meeting starts and automatically lifts back into the device when the meeting ends. Alternatively, users can control the speaker's position themselves through the Dashboard.

